Welcome to STN International! Enter x:x

LOGINID: SSPTACDR1614

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * Welcome to STN International NEWS Web Page for STN Seminar Schedule - N. America NEWS DEC 01 ChemPort single article sales feature unavailable NEWS CAS REGISTRY Source of Registration (SR) searching JUN 01 enhanced on STN NEWS JUN 26 NUTRACEUT and PHARMAML no longer updated NEWS JUN 29 IMSCOPROFILE now reloaded monthly JUN 29 NEWS EPFULL adds Simultaneous Left and Right Truncation (SLART) to AB, MCLM, and TI fields NEWS JUL 09 PATDPAFULL adds Simultaneous Left and Right Truncation (SLART) to AB, CLM, MCLM, and TI fields USGENE enhances coverage of patent sequence location NEWS 8 JUL 14 (PSL) data NEWS 9 JUL 27 CA/CAplus enhanced with new citing references NEWS 10 JUL 16 GBFULL adds patent backfile data to 1855 NEWS 11 JUL 21 USGENE adds bibliographic and sequence information NEWS 12 JUL 28 EPFULL adds first-page images and applicant-cited references NEWS 13 JUL 28 INPADOCDB and INPAFAMDB add Russian legal status data NEWS 14 AUG 10 Time limit for inactive STN sessions doubles to 40 minutes NEWS 15 AUG 18 COMPENDEX indexing changed for the Corporate Source (CS) field NEWS 16 AUG 24 ENCOMPLIT/ENCOMPLIT2 reloaded and enhanced NEWS 17 CA/CAplus enhanced with legal status information for AUG 24 U.S. patents NEWS 18 SEP 09 50 Millionth Unique Chemical Substance Recorded in CAS REGISTRY NEWS 19 SEP 11 WPIDS, WPINDEX, and WPIX now include Japanese FTERM thesaurus

NEWS EXPRESS MAY 26 09 CURRENT WINDOWS VERSION IS V8.4, AND CURRENT DISCOVER FILE IS DATED 06 APRIL 2009.

NEWS HOURS STN Operating Hours Plus Help Desk Availability NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN customer agreement. This agreement limits use to scientific research. Use for software development or design, implementation of commercial gateways, or use of CAS and STN data in the building of commercial products is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 15:20:42 ON 21 SEP 2009

=> file reg
COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.22 0.22

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 15:20:54 ON 21 SEP 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ${\tt ZIC/VINITI}$ data file provided by InfoChem.

STRUCTURE FILE UPDATES: 20 SEP 2009 HIGHEST RN 1185847-75-9 DICTIONARY FILE UPDATES: 20 SEP 2009 HIGHEST RN 1185847-75-9

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 26, 2009.


Please note that search-term pricing does apply when conducting ${\tt SmartSELECT}$ searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

=>

Uploading C:\Program Files\STNEXP\Queries\10825405s1.str



chain nodes : 7 8 9 10 11 ring nodes : 1 2 3 4 5 chain bonds : 5-7 7-8 7-9 8-11 10-11 ring bonds : 1-2 1-6 2-3 3-4 4-5 5-6 exact/norm bonds : 7-8 7-9 exact bonds : 5-7 8-11 10-11 normalized bonds : 1-2 1-6 2-3 3-4 4-5 5-6 isolated ring systems : containing 1 :

Match level:

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:CLASS 10:CLASS 11:CLASS

STRUCTURE UPLOADED

=> d 11

L1 HAS NO ANSWERS

L1STR

Structure attributes must be viewed using STN Express query preparation.

=> s 11 sss sam

SAMPLE SEARCH INITIATED 15:21:11 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 579 TO ITERATE

100.0% PROCESSED 579 ITERATIONS 8 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE** BATCH **COMPLETE**

10137 TO 13023 PROJECTED ITERATIONS: PROJECTED ANSWERS: 8 TO

8 SEA SSS SAM L1 L2

=> s 11 sss full

THE ESTIMATED SEARCH COST FOR FILE 'REGISTRY' IS 185.40 U.S. DOLLARS DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N or END:y FULL SEARCH INITIATED 15:21:17 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 11790 TO ITERATE

100.0% PROCESSED 11790 ITERATIONS 210 ANSWERS

SEARCH TIME: 00.00.01

210 SEA SSS FUL L1 L3

=> file caplus

COST IN U.S. DOLLARS SINCE FILE TOTAL

ENTRY SESSION FULL ESTIMATED COST 185.88 186.10

FILE 'CAPLUS' ENTERED AT 15:21:20 ON 21 SEP 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 21 Sep 2009 VOL 151 ISS 13
FILE LAST UPDATED: 20 Sep 2009 (20090920/ED)
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Jun 2009
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Jun 2009

CAplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2009.

CAS Information Use Policies apply and are available at:

http://www.cas.org/legal/infopolicy.html

This file contains CAS Registry Numbers for easy and accurate substance identification.

The ALL, BIB, MAX, and STD display formats in the CA/CAplus family of databases have been updated to include new citing references information. This enhancement may impact record import into database management software. For additional information, refer to NEWS 9.

=> s 13 L4 275 L3

=> s 13 and hair 275 L3 75843 HAIR 6039 HAIRS 78545 HAIR

(HAIR OR HAIRS)

L5 14 L3 AND HAIR

=> d ibib abs hitstr 14

L5 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1988:118717 CAPLUS

DOCUMENT NUMBER: 108:118717

ORIGINAL REFERENCE NO.: 108:19361a,19364a

TITLE: Hair tonics containing Minoxidil and accelerators of transdermal absorption

INVENTOR(S): Hori, Mitsuhiko; Yamanaka, Naoko; Sato, Susumu;

Watanabe, Shigeyuki

PATENT ASSIGNEE(S): Nitto Electric Industrial Co., Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 7 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------------------------|------|----------|-----------------|----------|
| | | | | |
| JP 62230710 | A | 19871009 | JP 1986-74646 | 19860331 |
| JP 07002628 | В | 19950118 | | |
| PRIORITY APPLN. INFO.: | | | JP 1986-74646 | 19860331 |

AB A hair tonic contains Minoxidil and ≥1 transdermal

absorption accelerator selected from the group consisting of (1) C7-15 alcs., (2) C5-30 aliphatic hydrocarbons which may contain halogen substituents, (3) C13-24 aliphatic carboxylic acid alkyl esters, (4) N-alkylmorpholine, (5) C4-10 dicarboxylic acid C1-3 alc. diesters, (6) lactams, (7) nicotinic acid esters, (8) alkylene glycol and aliphatic carboxylic acid monoesters, (9) 1-alkyl-2-pyrrolidone-5-carboxylic acid aliphatic hydrocarbon esters, (10) glycerin C10-18 carboxylic acid monoesters, (11) proline esters or N-alkylproline esters, and (12) cineol. Transdermal absorption of Minoxidil in the presence of 20 accelerators was demonstrated in rats which were topically treated with formulations containing EtOH 44.5, H2O 44.5, Minoxidil 1, and one of the 20 accelerators 10% by weight

IT 3612-78-0, Lauryl nicotinate RL: BIOL (Biological study)

(hair tonic containing Minoxidil and)

RN 3612-78-0 CAPLUS

CN 3-Pyridinecarboxylic acid, dodecyl ester (CA INDEX NAME)

=> d ibib abs hitstr 13

L5 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1988:576083 CAPLUS

DOCUMENT NUMBER: 109:176083

ORIGINAL REFERENCE NO.: 109:29091a,29094a

TITLE: Hair growth stimulants containing

pyridinopyrimidine derivatives and nicotinates

INVENTOR(S):
Grollier, Jean Francois

PATENT ASSIGNEE(S): Oreal S. A., Fr. SOURCE: Ger. Offen., 6 pp.

CODEN: GWXXBX

DOCUMENT TYPE: Patent LANGUAGE: German

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------------|------|----------|-----------------|----------|
| | | | | |
| DE 3729953 | A1 | 19880317 | DE 1987-3729953 | 19870907 |
| DE 3729953 | C2 | 19961031 | | |

| CA 1294883 | С | 19920128 | $C\Delta$ | 1987-546026 | | 19870903 |
|------------------------|--------|------------|-----------|-------------|----|----------|
| AT 400671 | В | 19960226 | | 1987-2241 | | 19870904 |
| SE 8703461 | A | 19880309 | | 1987-3461 | | 19870907 |
| SE 504489 | C2 | 19970224 | DЦ | 1907 3401 | | 13010301 |
| AU 8778102 | A | 19880310 | 73 17 | 1987-78102 | | 19870907 |
| | | | AU | 1967-76102 | | 190/090/ |
| AU 609055 | B2 | 19910426 | | 1007 10000 | | 1000000 |
| FR 2603482 | A1 | 19880311 | FR | 1987-12392 | | 19870907 |
| FR 2603482 | В1 | 19911004 | | | | |
| NL 8702110 | A | 19880405 | NL | 1987-2110 | | 19870907 |
| NL 193980 | В | 20001201 | | | | |
| NL 193980 | С | 20010403 | | | | |
| ES 2008735 | A6 | 19890801 | ES | 1987-2574 | | 19870907 |
| CH 673391 | A5 | 19900315 | СН | 1987-3434 | | 19870907 |
| DK 8704686 | A | 19880309 | DK | 1987-4686 | | 19870908 |
| DK 173080 | В1 | 19991220 | | | | |
| GB 2194734 | A | 19880316 | GB | 1987-21105 | | 19870908 |
| GB 2194734 | В | 19910327 | | | | |
| JP 63068515 | A | 19880328 | JΡ | 1987-223190 | | 19870908 |
| JP 2613222 | B2 | 19970521 | 0.1 | 130, 220130 | | 130,0300 |
| BE 1001047 | A5 | 19890620 | BE | 1987-1009 | | 19870908 |
| | AJ | 19090020 | | | 7\ | |
| PRIORITY APPLN. INFO.: | | 100 15000 | LU | 1986-86574 | A | 19860908 |
| OTHER SOURCE(S): | MARPAT | 109:176083 | | | | |
| GI | | | | | | |

The title hair growth stimulant contains ≥1 nicotinates

(I) and a pyrimidine derivative (II; R1 = H, alkyl, alkyl, alkenyl, alkylaryl, cycloalkyl, NR1R2 = optionally alkyl or a alkoxy substituted pyrrolidinyl, piperidinyl, hexahydroazepinyl, heptamethyleneimine, octamethyleneimine, morpholine, lower alkyl piperazidinyl; R3 = alkyl, alkenyl, alkylalkoxy, cycloalkyl, aryl, aryalkyl, alkylarylalkyl, alkoxyaarylalkyl, or haloarylalkyl). I have a vasodilating and stimulating effect on the skin, but I themselves are not effective hair growth stimulants. A synergistic combination of I and II leads to a fast stimulation of hair growth and requires at the same time smaller amts. of II. A hair growth stimulant lotion contained Me nicotinate 0.2, II (NR1R2 = piperidine, R3 = H) 1.0, EtOH 40.5, and H2O 100.0 g. After 1 mo of treatment the ratio A/T of hair in the anagenetic phase (A) and hair in the telogenetic phase had increased by 30%.

IT 23597-82-2, Hexyl nicotinate RL: BIOL (Biological study)

(hair growth stimulants containing piperidinopyrimidine and)

RN 23597-82-2 CAPLUS

CN 3-Pyridinecarboxylic acid, hexyl ester (CA INDEX NAME)

L5 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1988:118717 CAPLUS

DOCUMENT NUMBER: 108:118717

ORIGINAL REFERENCE NO.: 108:19361a,19364a

TITLE: Hair tonics containing Minoxidil and accelerators of transdermal absorption

INVENTOR(S): Hori, Mitsuhiko; Yamanaka, Naoko; Sato, Susumu;

Watanabe, Shigeyuki

PATENT ASSIGNEE(S): Nitto Electric Industrial Co., Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 7 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

| | PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|-----|---------------------|----------|--------------|-----------------------|-------------------|
| | JP 62230710 |
A | 19871009 | JP 1986-74646 | 19860331 |
| | JP 07002628 | В | 19950118 | | |
| PRI | ORITY APPLN. INFO.: | | | JP 1986-74646 | 19860331 |
| AB | A hair tonic conta | ins Min | oxidil and ≥ | 1 transdermal | |
| | absorption acceler | ator se | lected from | the group consisting | of (1) C7-15 |
| | alcs., (2) C5-30 a | liphati | c hydrocarbo | ns which may contain | halogen |
| | substituents, (3) | C13-24 | aliphatic ca | rboxylic acid alkyl e | sters, (4) |
| | N-alkylmorpholine, | (5) C4 | -10 dicarbox | ylic acid C1-3 alc. d | iesters, (6) |
| | | | | 8) alkylene glycol an | |
| | carboxylic acid mo | noester | s, (9) 1-alk | yl-2-pyrrolidone-5-ca | rboxylic acid |
| | aliphatic hydrocar | bon est | ers, (10) gl | ycerin C10-18 carboxy | lic acid |
| | | | | alkylproline esters, | |
| | | | | n the presence of 20 | |
| | demonstrated in ra | ts which | h were topic | ally treated with for | mulations contain |
| | EtOH 44.5, H2O 44. | 5, Mino | xidil 1, and | one of the 20 accele | rators 10% by |
| | weight | | | | |
| ΙT | 3612-78-0. Laurvl | nicotina | ate | | |

IT 3612-78-0, Lauryl nicotinate RL: BIOL (Biological study)

(hair tonic containing Minoxidil and)

RN 3612-78-0 CAPLUS

CN 3-Pyridinecarboxylic acid, dodecyl ester (CA INDEX NAME)

L5 ANSWER 12 OF 14 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1990:25375 CAPLUS

DOCUMENT NUMBER: 112:25375

ORIGINAL REFERENCE NO.: 112:4333a,4336a

TITLE: Hair tonics containing pentadecanol

nicotinate

INVENTOR(S): Nakaguchi, Osamu

PATENT ASSIGNEE(S): Fujisawa Pharmaceutical Co., Ltd., Japan

SOURCE: PCT Int. Appl., 8 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

| PA | PATENT NO. | | | | | KIND | | DATE | | APPLICATION NO. | | | | DATE |
|---------|---------------------------------------|------|------|-----|-------------|------|------|------|-------|-----------------|---------|--|----------|----------|
| WC | WO 8905626
W: US
RW: AT, BE, CH | | | | A1 19890629 | | | WO | 1988- | -JP1289 | | | 19881221 | |
| | RW: | ΑT, | BE, | CH, | DE, | FR, | GB, | ΙΤ, | LU, N | L, SE | | | | |
| EF | 3464 | 90 | | | A1 | | 1989 | 1220 | EP | 1989- | -900872 | | | 19881221 |
| EF | 3464 | 90 | | | В1 | | 1993 | 0407 | | | | | | |
| | R: | ΑT, | BE, | CH, | DE, | FR, | GB, | ΙT, | LI, L | U, NL, | SE | | | |
| AT | 8782 | 0 | | | T | | 1993 | 0415 | AT | 1989- | -900872 | | | 19881221 |
| JF | 0125 | 0310 | | | A | | 1989 | 1005 | JP | 1988- | -325491 | | | 19881222 |
| US | 5025 | 026 | | | А | | 1991 | 0618 | US | 1989- | -400118 | | | 19890821 |
| PRIORIT | Y APP | LN. | INFO | .: | | | | | JP | 1987- | -329227 | | Α | 19871224 |
| | | | | | | | | | EP | 1989- | -900872 | | Α | 19881221 |
| | | | | | | | | | WO | 1988- | -JP1289 | | Α | 19881221 |

AB A hair tonic contains nicotinate n-pentadecanol ester, which has an excellent hair growth promoting effect. This tonic is prepared by mixing the nicotinate with a base of an emulsion, cream, lotion, tonic or the like in a conventional manner.

IT 124424-97-1

RL: BIOL (Biological study) (hair tonics containing)

124424 07 1 CADITIC

RN 124424-97-1 CAPLUS

CN 3-Pyridinecarboxylic acid, pentadecyl ester (CA INDEX NAME)

OS.CITING REF COUNT: 2 THERE ARE 2 CAPLUS RECORDS THAT CITE THIS RECORD

(2 CITINGS)

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d ibib abs hitstr 12

L5 ANSWER 12 OF 14 CAPLUS COPYRIGHT 2009 ACS on STN ACCESSION NUMBER: 1990:25375 CAPLUS

DOCUMENT NUMBER: 112:25375

ORIGINAL REFERENCE NO.: 112:4333a,4336a

TITLE: Hair tonics containing pentadecanol

nicotinate

INVENTOR(S):
Nakaguchi, Osamu

PATENT ASSIGNEE(S): Fujisawa Pharmaceutical Co., Ltd., Japan

SOURCE: PCT Int. Appl., 8 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

| PA. | PATENT NO. | | | | | KIND D | | DATE A | | APPLICATION NO. | | | | DATE |
|---------|------------|------|------|-----|-----|--------|-------|--------|-----|-----------------|-------------|--|---|----------|
| WO | 8905
W: | | | | A1 | _ | 1989 | 0629 | | WO | 1988-JP1289 | | | 19881221 |
| | | | BE, | СН, | DE, | FR, | , GB, | IT, | LU, | N] | L, SE | | | |
| EP | 3464 | 90 | · | · | A1 | · | 1989 | 1220 | · | ΕP | 1989-900872 | | | 19881221 |
| EP | 3464 | 90 | | | В1 | | 1993 | 0407 | | | | | | |
| | R: | ΑT, | BE, | CH, | DE, | FR, | GB, | IT, | LI, | LU | J, NL, SE | | | |
| AT | 8782 | 0 | | | T | | 1993 | 0415 | | ΑT | 1989-900872 | | | 19881221 |
| JP | 0125 | 0310 | | | A | | 1989 | 1005 | | JΡ | 1988-325491 | | | 19881222 |
| US | 5025 | 026 | | | A | | 1991 | 0618 | | US | 1989-400118 | | | 19890821 |
| PRIORIT | Y APP | LN. | INFO | .: | | | | | | JΡ | 1987-329227 | | Α | 19871224 |
| | | | | | | | | | | ΕP | 1989-900872 | | Α | 19881221 |
| | | | | | | | | | | WO | 1988-JP1289 | | Α | 19881221 |

AB A hair tonic contains nicotinate n-pentadecanol ester, which has an excellent hair growth promoting effect. This tonic is prepared by mixing the nicotinate with a base of an emulsion, cream, lotion, tonic or the like in a conventional manner.

IT 124424-97-1

RL: BIOL (Biological study) (hair tonics containing)

RN 124424-97-1 CAPLUS

CN 3-Pyridinecarboxylic acid, pentadecyl ester (CA INDEX NAME)

OS.CITING REF COUNT: 2 THERE ARE 2 CAPLUS RECORDS THAT CITE THIS RECORD

(2 CITINGS)

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS

RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d ibib abs hitstr 11

L5 ANSWER 11 OF 14 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1993:168994 CAPLUS

DOCUMENT NUMBER: 118:168994

ORIGINAL REFERENCE NO.: 118:28985a,28988a

TITLE: Preparation of n-pentadecyl nicotinate oxide as a

hair growth stimulant

INVENTOR(S):
Nakaguchi, Osamu

PATENT ASSIGNEE(S): Fujisawa Pharmaceutical Co., Ltd., Japan

SOURCE: Eur. Pat. Appl., 5 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

| PA: | PATENT NO. | | | | | KIND | | DATE | | APPLICATION NO. | | | | | DATE |
|----------|------------|------|------|-----|----------|------|-------|------|-----|-----------------|--------|---------|-----|----|----------|
| | | | | | | _ | | | | | | | | | |
| EP | 5159 | 82 | | | A1 | | 1992 | 1202 | | ΕP | 1992- | 108579 | | | 19920521 |
| EP | 5159 | 82 | | | В1 | | 1995 | 0419 | | | | | | | |
| | R: | ΑT, | BE, | CH, | DE, | DK | , ES, | FR, | GB, | GF | R, IT, | LI, LU, | NL, | PΤ | , SE |
| JP | 0514 | 0110 | | | A | | 1993 | 0608 | | JΡ | 1992- | 128784 | | | 19920521 |
| JP | 3092 | 748 | | | В2 | | 2000 | 0925 | | | | | | | |
| AT | 1213 | 90 | | | ${ m T}$ | | 1995 | 0515 | | ΑT | 1992- | 108579 | | | 19920521 |
| US | 5256 | 678 | | | А | | 1993 | 1026 | | US | 1992- | 886803 | | | 19920522 |
| CA | 2069 | 589 | | | A1 | | 1992 | 1128 | | CA | 1992- | 2069589 | | | 19920526 |
| PRIORITY | Y APP | LN. | INFO | .: | | | | | | JP | 1991- | 225433 | | A | 19910527 |
| GI | | | | | | | | | | | | | | | |

AB Title compound (I) was prepared Thus, nicotinic acid was stirred 8 h with SOC12 in CH2C12; HO(CH2)14Me in CH2C12 was added and the mixture was stirred 12 h to give n-pentadcyl nicotinate. The latter was stirred with H2O2 in HOAc at 75-85° to give I. I applied topically to shaved rats daily gave observable hair growth over >50% of the shaved area after 16 days.

IT 124424-97-1P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and N-oxidation of)

Ι

RN 124424-97-1 CAPLUS


CN 3-Pyridinecarboxylic acid, pentadecyl ester (CA INDEX NAME)

IT 146459-71-4P

RL: SPN (Synthetic preparation); PREP (Preparation) (preparation of, as hair restorer)

RN 146459-71-4 CAPLUS

CN 3-Pyridinecarboxylic acid, pentadecyl ester, 1-oxide (CA INDEX NAME)



OS.CITING REF COUNT: THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD (1 CITINGS)

=> d ibib abs hitstr 10

ANSWER 10 OF 14 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1993:197781 CAPLUS

DOCUMENT NUMBER: 118:197781

ORIGINAL REFERENCE NO.: 118:33857a,33860a

TITLE: Hair growth stimulants containing alkoxycarbonylpyridine N-oxides

INVENTOR(S):

Suetsugu, Masaru; Fujinuma, Yoshimori; Ishino, Akihiro; Nakanishi, Jotaro; Hanzawa, Chika; Fukuda,

Minoru

PATENT ASSIGNEE(S): Shiseido Co., Ltd., Japan SOURCE: Jpn. Kokai Tokkyo Koho, 6 pp.

CODEN: JKXXAF

Patent DOCUMENT TYPE: LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------------------------|------|----------|-----------------|----------|
| | | | | |
| JP 04364109 | A | 19921216 | JP 1991-32332 | 19910131 |
| PRIORITY APPLN. INFO.: | | | JP 1991-32332 | 19910131 |
| GI | | | | |

Hair growth stimulants, useful for preventing alopecia, contain AΒ alkoxycarbonylpyridine N-oxides I (R = C2-17 alkyl). A stimulating solution contained 2-methoxycarbonylpyridine N-oxide (II) 2.0, 95% EtOH 60.0, H2O 36.0, and hydrogenated castor oil-ethylene oxide adduct 2.0 weight%.

147044-37-9 ΙT

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses) (hair growth stimulants containing)

RN 147044-37-9 CAPLUS

Ι

3-Pyridinecarboxylic acid, dodecyl ester, 1-oxide (CA INDEX NAME) CN

L5 ANSWER 9 OF 14 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1993:240452 CAPLUS

DOCUMENT NUMBER: 118:240452

ORIGINAL REFERENCE NO.: 118:41529a, 41532a

TITLE: Hair growth stimulant compositions

containing pyrimidine derivatives and nicotinic esters

INVENTOR(S): Grollier, Jean F.
PATENT ASSIGNEE(S): Oreal S. A., Fr.

SOURCE: U.S., 6 pp. Cont.-in-part of U.S. 4,968,685.

CODEN: USXXAM

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | | DATE | | |
|------------------------|------|----------|-----------------|----|----------|--|--|
| | | | | _ | | | |
| US 5157036 | A | 19921020 | US 1990-606154 | | 19901031 | | |
| US 4968685 | A | 19901106 | US 1987-93709 | | 19870908 | | |
| PRIORITY APPLN. INFO.: | | | LU 1986-86574 | Α | 19860908 | | |
| | | | US 1987-93709 | A2 | 19870908 | | |

OTHER SOURCE(S): MARPAT 118:240452

AB A composition comprises a pyrimidine derivative and a C1-6 alkylaryl or tetrahydrofurfuryl nicotinic ester (Markush structure is given). A hair growth stimulant composition contained

6-amino-1, 2-dihydro-1-hydroxy-2-imino-4-piperidinopyrimidine 1.0, benzyl nicotinate 0.125, Et alc. 60, and water to 100.0g.

IT 23597-82-2, Hexyl nicotinate RL: BIOL (Biological study)

(hair growth stimulant composition containing piperidinopyrimidine and)

RN 23597-82-2 CAPLUS

CN 3-Pyridinecarboxylic acid, hexyl ester (CA INDEX NAME)

OS.CITING REF COUNT: 8 THERE ARE 8 CAPLUS RECORDS THAT CITE THIS RECORD

(11 CITINGS)

REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 8 OF 14 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1994:226515 CAPLUS

DOCUMENT NUMBER: 120:226515

ORIGINAL REFERENCE NO.: 120:40041a,40044a
TITLE: Hair growth stimulant

INVENTOR(S): Nakaguchi, Osamu; Obata, Katsuyoshi

PATENT ASSIGNEE(S): Fujisawa Pharmaceutical Co., Ltd., Japan

SOURCE: PCT Int. Appl., 15 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

|] | PATENT NO. | | | | | KIND | | DATE | | APPLICATION NO. | | | | | DATE | | |
|-------|------------|-------|------|------|-------|-------|------|-------|------|-----------------|--------|-------|------|-------|----------|------|-----|
| - | | | | | | | _ | | | | | | | | - | | |
| Ţ | WO | 9324 | 100 | | | A1 | | 1993 | 1209 | WO | 1993- | -JP67 | 0 | | 19930520 | | |
| | | W: | CA, | KR, | US | | | | | | | | | | | | |
| | | RW: | ΑT, | BE, | CH, | DE, | DK, | , ES, | FR, | GB, G | R, IE, | IT, | LU, | MC, | NL, | PT, | SE |
| | JΡ | 0604 | 0857 | | | A | | 1994 | 0215 | JP | 1993- | -1196 | 24 | | 1 | 9930 | 521 |
| | JΡ | 3247 | 764 | | | В2 | | 2002 | 0121 | | | | | | | | |
| PRIOR | ΙΤΊ | APP | LN. | INFO | .: | | | | | JP | 1992- | -1369 | 72 | Z | A 1 | 9920 | 528 |
| AB 1 | Hai | ir to | nics | con. | tain. | ina (| cond | densa | tion | produ | cts of | col | lage | n pro | ot.ei: | n | |

AB Hair tonics containing condensation products of collagen protein hydrolyzates and fatty acids. A hair tonic is prepared from condensation products of collagen protein hydrolyzates and fatty acids, optionally, in combination with other hair growth stimulants (e.g. pentadecyl nicotinate) and/or skin periphery blood vessel dilator

(e.g. carpronium chloride, vitamin E nicotinate).

IT 124424-97-1, Pentadecyl nicotinate 146459-71-4,

Pentadecyl nicotinate N-oxide

RL: BIOL (Biological study)

(hair tonic manufacture with protein hydrolyzate condensation products with fatty acids and)

RN 124424-97-1 CAPLUS

CN 3-Pyridinecarboxylic acid, pentadecyl ester (CA INDEX NAME)

RN 146459-71-4 CAPLUS

CN 3-Pyridinecarboxylic acid, pentadecyl ester, 1-oxide (CA INDEX NAME)

OS.CITING REF COUNT: 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD

(1 CITINGS)

THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS REFERENCE COUNT: 1

RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d ibib abs hitstr 7

ANSWER 7 OF 14 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2001:850724 CAPLUS

DOCUMENT NUMBER: 135:376535

TITLE: Composition for make-up or skin-care in a powdery form

containing a particular binder

INVENTOR(S): Hadasch, Anke; Lemann, Patricia; Simonnet, Jean-tierry

PATENT ASSIGNEE(S): L'oreal, Fr.

Eur. Pat. Appl., 21 pp. SOURCE:

CODEN: EPXXDW

DOCUMENT TYPE: Patent French LANGUAGE:

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

| PA' | PATENT NO. | | | | KINI |) | DATE | | | APPLICATION NO. | | | | | DATE | | | |
|----------|------------|------|------|-----|------------|-----|------|------|-----|-----------------|-------|--------|-----|-----|------|------|-----|--|
| | 1155 | | | | A2 2001112 | | | I | EP | 2001- | 4012 |
19 | | 2 | 0010 | 515 | | |
| EP | 1155 | 676 | | | А3 | | 2002 | 1218 | | | | | | | | | | |
| | R: | ΑT, | BE, | CH, | DE, | DK, | ES, | FR, | GB, | GR | , IT, | LI, | LU, | NL, | SE, | MC, | PT, | |
| | | ΙE, | SI, | LT, | LV, | FI, | RO | | | | | | | | | | | |
| FR | 2808 | 999 | | | A1 | | 2001 | 1123 | I | FR | 2000- | 6448 | | | 2 | 0000 | 519 | |
| FR | 2808 | 999 | | | В1 | | 2002 | 1031 | | | | | | | | | | |
| JP | 2002 | 0202 | 36 | | Α | | 2002 | 0123 | į. | JP | 2001- | 14841 | 15 | | 2 | 0010 | 517 | |
| CN | 1331 | 967 | | | А | | 2002 | 0123 | (| CN | 2001- | 1221 | 73 | | 2 | 0010 | 518 | |
| US | 2002 | 0041 | 854 | | A1 | | 2002 | 0411 | Ţ | JS | 2001- | 86056 | 57 | | 2 | 0010 | 521 | |
| PRIORIT | Y APP | LN. | INFO | .: | | | | | I | FR | 2000- | 6448 | | | A 2 | 0000 | 519 | |
| OTHER SO | OURCE | (S): | | | MARI | ⊃AT | 135: | 3765 | 3.5 | | | | | | | | | |

MARPAT 135:376535

AB A make-up composition contains a powdery phase and a binding phase which a continuous aqueous phase. A binding phase contained iso-Pr myristate 1.64, castor oil 2.46, vaseline oil 12.36, liquid lanolin 1.26, water 70.95, imidazolinyl urea 0.3, glycerin 5, Acylglutamate HS-11 0.03, phytantriol 2.97, vaseline 2.28, chlorphenesine 0.25, and polyoxyethylene sorbitan monopalmitate 0.5%. A cosmetic make-up contained talc 77.06, iron oxide 2.74, Nylon powder 10, titanium oxide 1, preservative 0.2, and above binding phase 9%.

23597-82-2, Hexyl nicotinate ΤT

> RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(composition for make-up or skin-care in powdery form containing particular binder)

23597-82-2 CAPLUS RN

3-Pyridinecarboxylic acid, hexyl ester (CA INDEX NAME) CN

(6 CITINGS)

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d ibib abs hitstr 6

L5 ANSWER 6 OF 14 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2002:844254 CAPLUS

DOCUMENT NUMBER: 138:226353

TITLE: Nonaqueous hair styling compositions

containing polymers

INVENTOR(S): Cincotta, Joseph J.; Coppola, Linda

PATENT ASSIGNEE(S): USA

SOURCE: U.S. Pat. Appl. Publ., 20 pp.

CODEN: USXXCO

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

| | PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|---|----------------|------|----------|-----------------|----------|
| | | | | | |
| | US 20020155962 | A1 | 20021024 | US 2001-764942 | 20010117 |
| | US 20020155962 | A1 | 20021024 | US 2001-764942 | 20010117 |
| | US 6706674 | B2 | 20040316 | | |
| _ | _ | | | | |

PRIORITY APPLN. INFO.: US 2001-764942 A 20010117 A hair styling composition includes a vinyl copolymer and a nonaq. solvent. Another hair styling composition contains a vinyl copolymer, a nonaq. solvent, a urethane copolymer, a polyester and optionally a second nonaq. solvent. Film formers and other additives may be included in the composition The compns. are applied to the hair. Heat may be used in connection with the application. A method of making the compns. by adding copolymers one at a time and stirring until clear mixts. are obtained after each addition is disclosed. A hair styling lotion contained denatured alc. 20-40, Benzophenone-3 0.2-0.5, pentylene glycol 5-10, propylene glycol 40-60, cetearyl octanoate 1-5, trimethylpentanediol/adipic acid/qlycerin crosslinked polymer 1-3, PVP/VA 5-15, and Dimethicone/IPDI copolymer 1%. [This abstract record is the second of 2 records for this document necessitated by the large number of index entries to fully index the document and publication system constraints].

IT 23597-82-2, Hexylnicotinate

RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses) (nonaq. hair styling compns. containing polymers)

RN 23597-82-2 CAPLUS

CN 3-Pyridinecarboxylic acid, hexyl ester (CA INDEX NAME)

=> d ibib abs hitstr 5

L5 ANSWER 5 OF 14 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2004:1036407 CAPLUS

DOCUMENT NUMBER: 142:27902

TITLE: Hair care and nail care compositions based

on ion-pair delivery system for gender and ethnic

selective applications

INVENTOR(S): Gupta, Shyam K.

PATENT ASSIGNEE(S): USA

SOURCE: U.S. Pat. Appl. Publ., 8 pp.

CODEN: USXXCO

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------------------------|------|----------|-----------------|----------|
| | | | | |
| US 20040241114 | A1 | 20041202 | US 2003-250045 | 20030530 |
| PRIORITY APPLN. INFO.: | | | US 2003-250045 | 20030530 |
| | | | | |

AB This invention relates to a novel ion-pair delivery system useful for gender and ethnic background selective hair care and nail care applications in which an electron donor composition and an electron acceptor composition, or a proton donor composition and a proton acceptor composition, or an

anionic and a cationic composition, are combined synergistically. The bioavailability, deposition, functional performance, and consumer aesthetics of the compns. thus combined in such ion-pairs are enhanced synergistically. Hair care compns., such as shampoo, conditioner, hair lotion, hair oil, hair gel, hair sheen, hair rinse, hair balm, hair wax, hair spray, and such, and nail care compns., such as nail enamel, nail creams, nail serums, nail lacquers, nail spray, and nail polish, and such, can thus be obtained with synergistically enhanced performance. An example compound was cinnamidopropyltrimonium N-acetylcysteinate, prepared from cinnamidopropyltrimonium chloride and N-acetylcysteine.

IT 3612-78-0

RL: COS (Cosmetic use); RCT (Reactant); BIOL (Biological study); RACT (Reactant or reagent); USES (Uses)

(hair care and nail care compns. based on ion-pair delivery system for gender and ethnic selective applications)

RN 3612-78-0 CAPLUS

CN 3-Pyridinecarboxylic acid, dodecyl ester (CA INDEX NAME)

=> log hold
COST IN U.S. DOLLARS
SINCE FILE TOTAL
ENTRY SESSION
FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)
CA SUBSCRIBER PRICE

SINCE FILE TOTAL
ENTRY SESSION
-9.84
-9.84

SESSION WILL BE HELD FOR 120 MINUTES
STN INTERNATIONAL SESSION SUSPENDED AT 15:22:55 ON 21 SEP 2009